
# INSBRUCK



## INNSBRUCK RVing is in



Even though nature surrounds you, your breath of fresh air will come from Innsbruck's main living

space upon entry. Expand the slide-outs and you have a true home on wheels that will take you on adventure after adventure.

Whether relaxing alone or sharing quality travel time with family and friends, the Innsbruck offers functional floor plans that don't forget stylish design, comfort and warmth.

Hardwood cabinet doors finished richly by Gulf Stream's craftsmen offer more than enough storage space surrounding the focal fireplace and entertainment center flanked by vertical windows that bring outdoors in.

E-Z store sofa does just that. Gain access to linens and supplies easily behind and underneath the cushions. There is storage everywhere in an Innsbruck!

398 DLS Galley

Decorator valences frame and add a


finishing touch to the dinette booth that can comfortably seat up to eight hungry campers.




## INNSBRUCK Stay in



## Settle in



## INNSBRUCK Sleep in



## **Details**



3 in 1 feature • from sofa to sleeper to extra hidden storage



AM/FM/CD/DVD Touch Plex stereo theatre



Lined drawers with roller bearing guides for ease and cleanliness



Crank out windows keep you dry while circulating fresh air

## Quality Construction

① Gulf Stream constructs each coach using only the finest quality materials. The 5/8" floor decking is both glued and screwed to the sturdy 2x3 floor joists which are 13" on center and fully insulated. Then the floor assembly is bolted to the steel frame, providing one of the strongest floor systems on the market!

2 At Gulf Stream, we go through several rigid inspections that include water, gas, electrical, structural, and of course, cosmetic aspects of your new RV.

Micro-lam (laminated wood headers) are used in slide-room openings. These eliminate the warping that many other manufacturers experience.

4 A secondary "cap seal" is applied over all exterior corner joints. The "cap seal" is a non-silicone base sealant that will not blacken or yellow with time.


5 Our roofs are 4 1/2" solid wood bow truss rafters. They are designed for good drainage and maximum strength. Features include • Double trusses are used at the air conditioner ducts. • Optional central air conditioner uses 1/4" insulated foam duct work (a coffee cup is only 1/8") and radius joints for maximum air flow and comfort.

 Backers are installed where all interior equipment is screwed in from below (not shown).
 Wood decking is glued, screwed and topped with a one-piece seamless roof (not shown).

6 Gulf Stream uses the best slide room system construction techniques, many that we have pioneered to become the industry leader.

4 ¼" tall by ¼" thick steel support beam is a unique feature used on all "Super-Slide" models. This gives Gulf Stream a true "Clear Span" slide room.















## **INNSBRUCK** Standard Features

- · Hard-wired Slide Rooms
- · Contemporary White Doors and Windows
- Large Double Door Refrigerator w/Thermostat
- · Gas Water heater w/ Auto Ignition
- · Pass-Thru Storage on Most Models
- 13,500 BTU Air Conditioner
- Decorator Mini-Blinds Standard!
- · Color Coordinated Awning
- · 30" Wide Radius Entry Door w/ Window
- Hardwood Mortise & Tenon Cabinet Doors
- Carousel Microwave Oven
- E-Z Store Sofa Easiest Access Around!
- · Large Storage Chest Behind Sofa Slides
- Queen Bed w/ Innerspring Mattress (most models)
- Wall Mounted Light Switches incl. Bathroom
- · Designer Bedspreads
- . LP Leak Detector & CO2 Detector
- Smoke Detector
- · Roller Bearing Drawer Guides
- Space Saver Under Floor Water Tank
   54 gal.
- · Power Roof Vent in Bath
- Deluxe Wallpaper Border in Living Room
- Cable TV Hook-Up
- Bed-Lift Pistons (where applicable)
- · Rain Guard Gutter Rail w/ Down Spouts
- Insulated Exterior Storage Compartments
- TV Antenna w/ Booster
- EZ Access Gas Bottle Cover
- · Patio and Hitch Lights
- · Step Light
- · Pass Through Storage Light
- · Sewer Termination Lights
- Large Residential Style Kitchen Sink
- Double or Triple Easy-Open Entry Steps
- AM/FM/CD/DVD Touch Plex Stereo Theatre
- · Water Heater Bypass
- · Extra TV Jack in Bedroom
- · Systems Monitor Panel
- In-Floor Insulated Ducted Heat (frees up more cabinet space)
- · Power Range Hood w/ Light and Fan
- All Walls Mounted ON Floors (not next to them)
- Decked One-Piece Roof Featuring a 12-Year Warranty

- 2 x 4 ½" Residential Style Bow Truss Roof System (strongest construction available) w/ Ducted Air Conditioner Option
- Sidewalls are Screwed to Ceiling and Floor and Strapped w/ Strong Galvanized Steel Straps
- Dadoed Belt-Rail Wall Construction Combined w/ Galvanized Steel Straps & Screws for Unmatched UNI-BODY Strength
- · 5/8" Floor Decking Glued & Screwed
- Hand-cut & Glued Fiberglass Insulation
- Clear Span Power Slide-Out Rooms w/ Steel Header
- Solid Box & I-Beam Heavy Duty Steel Frames

#### Supreme Package includes:

- · Pleated Shades
- · Residential Door Casing
- · Scare Light
- Residential Medicine Cabinet
- Glass in Slide Room Overhead Doors
- Outside Speakers
- · Swing Away Grab Handle
- · Pots-n-Pans Drawer


#### Popular Options

- · 4 Door Slide-Out Overhead Cabinet
- Tub ipo Shower Pan
- · Fiberglass "Slick Side" Exterior
- · Roof Rack and Ladder
- · Hide-a-Bed Sofa (select Slide-Outs)
- · Spare Tire, Carrier and Cover
- Bright Trim Package:


Wheel Trim & Polished Bumper Cover, Swing Away Assist Handle

- · Outside Shower
- Sunroom Option (w/Table, 4 Chairs, 4 Vista Windows)
- · 2 or 4 DR Slide-Out Overhead Cabinets
- · Crank Down Stabilizer Jacks
- · Electric Hitch Jacks (5th Wheels)
- · Self Cleaning Shower Door
- Ceiling Paddle Fan (Lodge Series & 5th Wheels)
- · Fantastic Attic Fan

## Interior Decor











### **INNSBRUCK** Lite Series



Travel Trailers

PASS THORIT STORAGE

MODEL 20 BHL

Length 23'9" Height w/AC 9'11" Carrying Capacity 3,350 Hitch Weight 480 All weights shown are in day condition, without options or fluidi.
Please add additional options and features. Consult the weight fire inside kitchen cabinet and your fow which owners manual for imore information.

Dry Weight 4,130

54

20 lbs

25,000

Fresh Water

**Dual LP Bottles** 

Furnace BTU's

Waste Water Tank 74



MODEL 22 MBL

Length 23'9" Height w/AC 9'11" Carrying Capacity 2,290 Hitch Weight 440 Dry Weight 4,450 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 23 BWL

Length 26'10" Height w/AC 9'11" Carrying Capacity 2,970 Hitch Weight 720 Dry Weight 4,750 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 24 BHL

Length 26'1" Height w/AC 9'11" Carrying Capacity 3,328 Hitch Weight 560 Dry Weight 4,232 Fresh Water 54 Waste Water Tank 74 Dual LP Bottles 20 lbs Furnace BTU's 25,000



MODEL 24 RBL

Length 26'1" Height w/AC 9'11" Carrying Capacity 3,312 Hitch Weight 410 Dry Weight 4,098
Fresh Water 54
Waste Water Tank 74
Dual LP Bottles 20 lbs
Furnace BTU's 25,000



#### MODEL 24 RKL

27'11" 10'9" Length Height w/AC Carrying Capacity 1,890 Hitch Weight 890

Dry Weight Fresh Water 5,683 54 Waste Water Tank 74 Dual LP Bottles 20 20 lbs Furnace BTU's 25,000



MODEL 259 BHL 28'11" Length Height w/AC 10'9" Carrying Capacity 1,820 Hitch Weight 730

Dry Weight Fresh Water 5,910 54 Waste Water Tank 74 Dual LP Bottles Furnace BTU's 20 lbs 25,000



#### MODEL 269 BHL

30'8" Length Height w/AC 10'9" Carrying Capacity 1,710 Hitch Weight 820 Dry Weight 6,1 Fresh Water 54 Waste Water Tank 74 6,110 20 lbs Dual LP Bottles Furnace BTU's 25,000




MODEL 27 DSL Length 31'5" Height w/AC Carrying Capacity 1,810 Hitch Weight 990 Dry Weight Fresh Water Waste Water Tank Dual LP Bottles 6,180 54 74 20 lbs Furnace BTU's 25,000



#### MODEL 275 FSL

Length Height w/AC 29'10/ 10'1 Carrying Capacity 2,060 Hitch Weight 710

5,650 Dry Weight Waste Water Tank 74
Dual LP Bottles 20 20 lbs Furnace BTU's 25,000





#### MODEL 291 SBW

Length 34'4' Height w/AC 10'9' Carrying Capacity 3,670 Hitch Weight 1,060 Dry Weight 7,430 Fresh Water 51 Waste Water Tank 111 Dural LP Bottles 30 lbs Furnace BTU's 30,000

#### Incre-TABLE



#### MODEL 295 BHS

Length 32'4" Height w/AC 10'9" Carrying Capacity 4,266 Hitch Weight 720 Dry Weight 6,614
Fresh Water 55
Waste Water Tank 78
Dual LP Bottles 30 lbs
Furnace BTU's 30,000

#### Incre-TABLE



\* Outside kitchen available

#### MODEL 297 DBS

Length 32/7\* Height w/AC 10'9\* Carrying Capacity 3,260 Hitch Weight 720 Dry Weight 6,691 Fresh Water 51 Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000

#### Incre-TABLE



\* Outside kitchen available

#### MODEL 32 TBR

Length 35'8" Height w/AC 10'9" Carrying Capacity 3,140 Hitch Weight 990 Dry Weight 7,890 Fresh Water 51 Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000

## **INNSBRUCK** Lodge Series

#### Travel Trailers

## Features: • 16 CF Residential Refrigerators • 10 Gal DSI 110 Volt, Water Heaters • Detachable

Hitch · Patio Door

# TY CHERES FORESTACE TO CONT.

MODEL 34 FLS

Length 34'4" Height w/AC 10'9" Carrying Capacity 3,314 Hitch Weight 1,340 Dry Weight 8,066 Fresh Water NA Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000



Incre-TABLE

MODEL 35 FKS
Length 35'2"
Height w/AC 10'9"
Carrying Capacity 2,350
Hitch Weight 1,020

Dry Weight 8,710 Fresh Water NA Waste Water Tank 74 Dual LP Bottles 30 lbs Furnace BTU's 30,000



MODEL 398 DLS

Length 35'7" Height w/AC 11'11" Interior Height 90" Carrying Capacity 2,310 Hitch Weight 1,300 Dry Weight 9,030 Fresh Water NA Waste Water Tank 111 Dual LP Bottles 30 lbs Furnace BTU's 30,000



MODEL 398 FRS

Length 35'7" Height w/AC 11'11" Interior Height 90" Carrying Capacity 2,310 Hitch Weight 1,300 Dry Weight 9,030 Fresh Water NA Waste Water Tank 111 Dual LP Bottles 30 lbs Furnace BTU's 30,000



MODEL 408 TBS

Length 36'2" Height w/AC 11'11" Interior Height 90" Carrying Capacity 1,830 Hitch Weight 1,360 Dry Weight 9,570 Fresh Water NA Waste Water Tank 148 Dual LP Bottles 30 lbs Furnace BTU's 30,000



## **INNSBRUCK** Select Series

#### Fifth Wheels



#### **MODEL 24 FTBS**

Length 27'5" Height w/AC 11'3" Carrying Capacity 1,840 Hitch Weight 1,150 Dry Weight 6,310 Fresh Water 55 Waste Water Tank 78 Dual LP Bottles 30 lbs Furnace BTU's 25,000




#### MODEL 245 FBW

Length 28'3" Height w/AC 11'3" Carrying Capacity 1,961 Hitch Weight 1,390 Dry Weight 6,429 Fresh Water 55 Waste Water Tank 78 Dual LP Bottles 30 lbs Furnace BTU's 25,000




#### MODEL 27 FRLR

Length 30'34' Height w/AC 12' Carrying Capacity 3,260 Hitch Weight 1,480 Dry Weight 8,260 Fresh Water 55 Waste Water Tank 78 Dual LP Bottles 30 lbs Furnace BTU's 25,000



#### MODEL 28 FWBH


Length 31'4" Height w/AC 12' Carrying Capacity 4.160 Hitch Weight 1,930 Dry Weight 7,810 Fresh Water 55 Waste Water Tank 117 Dual LP Bottles 30 lbs Fornace BTU's 30,000



- 1. One-piece, seamless roof with 12-year warranty
- Strong wood roof decking, glued and screwed
- Thick blanket of fiberglass insulation
- 4. 4 1/2" residential style bowed roof truss system (not particle board)
- Insulated air conditioning duct system with radius corners for improved air flow (optional)
- 6. Interior ceiling board
- Galvanized steel straps used to increase the roof-to-sidewall transition strength and solidify our uni-body construction
- 8. Sturdy 2 x 2 wood sidewall construction, 16" on centers (walls are always set on the floor, not next to it, for maximum strength, and screwed into place)
- 9. Dadoed belt rail construction through the middle of the side and end walls provides additional uni-body strength
- 10. Thick blanket of fiberglass insulation, hand cut and fit
- for long lasting energy efficiency 11. Glue used to bond hand cut insulation to interior wall board to eliminate possible slipping or movement
- 12. Exterior aluminum siding with baked enamel finish
- 13. Butyl caulking for superior seal and less black streaks
- 14. Drip rail/awning rail, screwed to roof framing

   helps keep unit clean
- Galvanized steel straps used to increase the sidewall-to-floor transition strength and solidify our uni-body construction
   Tough poly max underbelly wrapped up sides and ends,
- protects against moisture and road debris
- Plush, durable residential-style carpeting (Supreme)

- 18. Thick foam carpet padding (Supreme)
  19. 5/8" floor decking screwed and glued
  20. Floor decking glued and screwed to floor joists
- 21. Thick blanket of fiberglass insulation
- 22. Sturdy 2 x 3 wood floor joist system, 13" or less O.C. 23. 2 x 6 tubular steel frame (up to 30") 8" I-Beam frame (32' and up)
- 24. Full width steel outriggers superior strength and support
- 25. Steel bolts secure floor to steel outriggers
- 26. Exterior metal is screwed into floor framing from side, not stapled from the bottom, preventing leaks



Quality, Value & Innovation Since 1983 Gulf Stream Coach is a privately owned company with over 26 years of RV manufacturing experience.

RV dealers and consumers look to Gulf Stream for high-value products offering quality construction, innovative features, contemporary design, unmatched service, and continual support.

Gulf Stream offers the largest product line in the industry. From entry level travel trailers to luxury motorhomes - all use the most advanced manufacturing techniques.

www.GulfStreamcoach.com



## INNSBRUCK

## 24 Month Warranty

on Structural Components\*

In addition to our standard one year warranty, Gulf Stream Coach, Inc. offers an exclusive 24 month warranty on structural components. In addition, major component manufacturers are providing 24 month warranties on their products installed in Gulf Stream units such as refrigerator, antenna, furnace, water heater, air conditioner, awning, range, microwave and more. See official written Gulf Stream warranty for complete details and restrictions.

Post Office Box 1005

Nappanee, IN 46550

· Your Gulf Stream Coach Dealer ·

For more information and available options, contact your local Gulf Stream Dealer, www.GulfStreamcoach.com. or Gulf Stream Coach, Inc., Gulf Stream: Reserves the right to make changes in prices, colors, materials, components, and specifications and to discontinue models at any time without notice or obligation. Assumes no responsibility for any error in type or print reproduction of specifications or floor plans in this brochure. Photos may show equipment or items that are optional and are not included in the price of the trailer. Experience and review a current model at your nearest dealer.

©2010 Gulf Stream Coach, Inc. Nappanee, Indiana U.S.A.